

LEROAD

● ○ ○ ○ Leroad leads a joyful journey



Vision:
Leroad leads a joyful journey.

Mission:
To support flexible and sustainable minimobility with innovative reliable and electrified vehicles.

Value:
Integrity based, Customer first, Pursue excellence, Lead change.

Design integrates the trend of the times Technology leads the industry

Ingenuity and craftsman’s spirit with extraordinary quality
The whole vehicle has 3000+ parts in precise operation.
All parts are carefully selected



Rainproof top
The top with built-in drainage system
To ensure that passengers can stay dry and comfortable in the event of rain



Foldable windshield
Adjust according to driving environment
Create a comfortable driving environment



Car-level headlight design
LED headlights, front running lights, turn signals
Energy saving and environmentally friendly and fashionable



Wear-resistant tires
American DOT tire certification
Quiet, non-slip, wear-resistant
Turf tires



McPherson independent suspension
Stable MacPherson independent suspension
Brings you a safer experience

Chassis
Hot-dip galvanized frame chassis
One-piece main beam runs through the whole vehicle
Vehicles are safer and more stable

Exquisite design, simple yet elegant, ergonomics all over the car
Technological innovation, environmental protection and energy saving, new energy has become standard
30 years of research and development experience, smart and rugged
Leroad is not only an electric car, but also a work of art

Sand bottle

Ball washer

Precision instrument panel
Left and right cup holders, front storage box
LCD display, high-definition display under sunlight, practical and convenient



Leroad lithium battery
Stable discharge performance, long cycle life, perfect for practical features of vehicles
The battery data can be intelligently monitored through the mobile APP.



Motor Controller
Adopt dual CPU processors for faster processing and more powerful functions



Cooler box
Hot and cold insulation, easy access let you enjoy your golf swing



Dual Parking Brake System
Effectively prevent slide down when parking and make driving safer



GOLF CART

Golf cart series

There is a life called **golf**
There is a golf cart called **Leroad**
On free-riding greenway
When the breeze blows over the greens and through the hair
When the evening glow passes through the treetops
Reflecting the long shadow
You know everything is good
You deserve it
Wonderful life, beautiful travel, all in a Leroad



L2 Classic, elegant and smart

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional lights (turn signals, headlights, running lights)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display
- Optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

• Customized colors



•L2+CSA

Model Number	L2 Standard		L2+CSA				
Load/size							
Rated Load	200 kg		370 kg				
Curb Weight (lead-acid battery version)	480 kg		500 kg				
Curb Weight (Lithium battery)	340 kg		360 kg				
Length	2425 mm		2655 mm				
Width	1180 mm		1180 mm				
Height	1780 mm		1780 mm				
Seating Capacity	2 People		2 People				
Ground Clearance	120 mm		120 mm				
Wheel Base	1673 mm		1673 mm				
Wheel Track Front/Rear	880 mm / 970 mm		880 mm / 970 mm				
Tyre	18x8.5-8 (4 Ply)		18x8.5-8 (4 Ply)				
Dynamic system							
Voltage	Motor	Controller	Battery	Charger			
48V	4 KW、5 KW	Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery	Learoad Charger			
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



•L2 Standard



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.



+86-573-83131689-8019

JIAxing LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>





L2+2 Driving pleasure Enjoyable time

Golf cart

- 48V-AC system
- Optional battery (lead-acid battery, lithium battery)
- Optional lights (turn signals, headlights, running lights)
- Optional aluminum alloy wheels (8 inches, 10 inches, 12 inches)
- Optional luxury seats, luxury steering wheel
- Using Leroad's self-developed onboard charger
- Optional LCD display
- Optional electromagnetic parking brake
- AC 4KW, 5KW motor
- Optional controller 350-400A optional American original DC system

• Customized colors



•L2+2

Model Number	L2+2		L2+Container				
Load/size							
Rated Load	370 kg		320 kg				
Curb Weight (lead-acid battery version)	540 kg		490 kg				
Curb Weight (Lithium battery)	400 kg		350 kg				
Length	2715 mm		2635 mm				
Width	1190 mm		1180 mm				
Height	1900mm		1780mm				
Seating Capacity	4 People		2 People				
Ground Clearance	120 mm		120 mm				
Wheel Base	1673 mm		1673 mm				
Wheel Track Front/Rear	880 mm / 970 mm		880 mm / 970 mm				
Tyre	18x8.5-8 (4 Ply)		18x8.5-8 (4 Ply)				
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Learoad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Beige						



• L2+Container



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.



+86-573-83131689-8019

JIAJING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>





L2 / L2+2 / L4 / L4+2

Lifted series

Passionate driving
Smart and rugged

Golf cart

- Adopt independent patented appearance design, leading the trend
- The one-piece main beam running through the whole vehicle, and stronger one-piece tailor welding
- Durable and strong climbing performance
- Lifted chassis, more stable driving and more flexible steering
- Self-developed and designed multi-functional storage box
- Self-fault diagnosis system instrumentation for a safer driving
- Optional LCD display
- Optional electromagnetic parking brake
- Optional American original DC system

Customized colors



·L2+2 Lifted



·L2 Lifted



·L4+2 Lifted

Model Number	L2 Lifted		L2+2Lifted		L4+2Lifted		
Load/size							
Rated Load	370 kg		370 kg		540 kg		
Curb Weight (lead-acid battery version)	500 kg		580 kg		660 kg		
Curb Weight (Lithium battery)	360 kg		440 kg		520 kg		
Length	2400 mm		2920 mm		3680 mm		
Width	1180 mm		1200 mm		1210 mm		
Height	1900 mm		2060 mm		2035mm		
Seating Capacity	2 People		4 People		6People		
Wheel Track Front/Rear	1010 mm / 990 mm		1010 mm / 990 mm		1015 mm		
Ground Clearance	150 mm		150 mm		150 mm		
Wheel Base	1673 mm		1673 mm		2453 mm		
Tyre	215/35-12		23×10-14		215/35-12		
Dynamic system							
Voltage	Motor		Controller	Battery		Charger	
48V	4 KW、5 KW		Leroad Controller	6x8V deep cycle lead-acid batteries /105-160Ah lithium battery		Learoad Charger	
Vehicle performance							
Max Speed	Range	Turning Radius	Steering System	Front Suspension	Rear Suspension	Braking System	Braking distance
8-30 km/h	80-100 km	2900 mm	Two-way Drive Rack And Pinion Steering Gear Box	Macpherson Independent Suspension	Plate Spring of Variable Cross-section And Damper	Rear Wheel Mechanical Brake and Service Brake System	≤ 3000 mm
Vehicle color							
Standard Body Color	Black, White, Ivory, Turquoise, Wormwood Green, Forest Green, Sky Blue, Electric Blue, Golden Deer Color, Dior Red						
Standard Seat Color	Red And Black				Red And White		



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.



+86-573-83131689-8019

JIAJING LEROAD SPECIAL VEHICLE CO.,LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Optional Accessories

Battery



·Lithium battery (48V 105Ah)



·Lithium battery (48V 160Ah)



·American Trojan battery 8V (lead-acid battery)



·Maintenance-free gel battery (lead-acid battery)

Golf cart optional battery



·Lithium battery (155Ah)



·Lithium battery (230Ah)



·American Trojan battery 6V (lead-acid battery)



·Maintenance-free gel battery (lead-acid battery)

Sightseeing Car optional battery

Power display



·LCD display screen




·SOC meter

*Please consult Leroad sales personnel for details of optional accessories in the picture.

Vehicle color




· Black




· White



· Ivory



· Turquoise



· Wormwood Green



· Forest Green



· Sky Blue



· Electric Blue



· Golden Deer Color



· Dior Red

Seat cushion

·Monochrome luxury seats



·Two-tone luxury seats



·Standard seat



* The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.



Tel: +86-573-83131689-8019

JIAOXING LEROAD SPECIAL VEHICLE CO., LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>



Optional Accessories

Wheels

8-inch



8-inch aluminum rim
(8*7) + 18x8.5-8 4-ply tire
(KENDA)



8-inch aluminum rim
(8*7) + 18x8.5-8 6-ply tire
(KENDA)

10-inch



10-inch
aluminum rim + 205/50-10
4-ply tire



10-inch
aluminum rim + 205/50-10
6-ply tire

12-inch



12-inch gold-painted
silver-spoked 8-spoke
aluminum rim + 215/35-12
4-ply tire



12-inch white-painted
red-spoked 8-spoke
aluminum rim + 215/35-12
4-ply tire



12-inch white-painted
blue-spoked 8-spoke
aluminum rim + 215/35-12
4-ply tire



12-inch black-painted
silver-spoked 8-spoke
aluminum rim + 215/35-12
4-ply tire



12-inch WY
aluminum rim + 215/35-12
4-ply tire

14-inch



14-inch black-painted
blue-spoked 8-spoke
aluminum rim + 23*10-14
4-ply tire



14-inch black-painted
red-spoked 8-spoke
aluminum rim + 23*10-14
4-ply tire



14-inch white-painted
red-spoked 8-spoke
aluminum rim + 23*10-14
4-ply tire



*Please consult Leroad sales personnel for details of optional accessories in the picture.

Steering wheel



·Standard steering
wheel



·Luxury carbon fiber style steering
wheel

Windshield



·Grey windshield



·Flat windshield



·Folding windshield

Brake pedal



·Hydraulic brake pedal without parking



·Mechanical brake pedal with parking



*The characteristics and specifications of the vehicle are subject to change without prior notice. The vehicles in the pictures may include options and accessories that are not available in the standard model. All rights reserved by Leroad Company.

Tel: +86-573-83131689-8019

JIAOXING LEROAD SPECIAL VEHICLE CO., LTD.
Address: Building 1, No.1007 Weisheng Road,
Xiuzhou District, Jiaxing, Zhejiang Province, China
Website: <http://www.leroadev.com>

