

FLEET GOLF CARS



Shown with optional Yamaha Genuine Accessories.

THE EASY CHOICE™ WHEN LUXURY, PERFORMANCE AND VALUE MATTER

60
+ YEARS

YAMAHA MOTOR CORPORATION

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including snowmobiles, scooters, ATVs, personal watercraft vehicles and so much more.

BOATS



MARINE ENGINES



GENERATORS



RECREATIONAL
VEHICLES



MOTORCYCLES



WAVERUNNERS®



ALL-TERRAIN
VEHICLES



SNOWMOBILES



INTELLIGENT
MACHINERY



POWER ASSIST
BICYCLES



REMOTELY PILOTED
HELICOPTERS



DRIVE² CARS	4 - 21	UMAX® CARS	22 - 33	YAMATRACK®	36 - 37	SPECIFICATIONS	52 - 59
REFUEL OR RECHARGE	6 - 7	BATTERY OPTIONS	34 - 35	PARTS AND ACCESSORIES	38 - 51		

Shown with optional Yamaha Genuine Accessories.

INNOVATIVE FEATURES AT EVERY TURN

At Yamaha, we're innovating with today's golfer in mind. With bold colors and modern body styling, our Drive² lineup looks better than ever, but the biggest change is the one you don't see — a smoother ride.



SEE MORE ONLINE!

Scan now to watch all the Drive² features in action.



INDEPENDENT REAR SUSPENSION

Standard on all Drive² PowerTech Li and Drive² QuieTech EFI models. Experience stability and comfort.



STORAGE BIN WITH NO-SLIP MAT

34% larger to keep more valuables in place.



ROOMIER BAGWELL

Holds two staff bags comfortably and securely.



MORE SPACIOUS SWEATER BASKET

Designed for easy cleaning and abundant storage.



FRONT SUSPENSION

Fully independent front suspension for maximum performance and comfort.



TWO USB CONNECTIONS

Easily maintain power and stay charged. (Optional on Drive² AC and Drive² EFI models).



CLIMAGUARD™ SUN TOP

Protect players from the elements with a dual gutter system. 33% larger size than the nearest competitor.



AUTOMOTIVE-STYLE DASH

Fully equipped with larger cup holders, a place for two range finders and mobile devices, plus optional USB connections.

Metallic	Pearl
In-Mold	Sunstone
Metallic	Evergreen
Metallic	Bluestone
Metallic	Carbon
Metallic	Moonstone
In-Mold	Glacier

AVAILABLE COLORS

WITH YAMAHA, THE ONLY QUESTION IS

REFUEL OR RECHARGE?

EVERYTHING ELSE IS THE EASY CHOICE™

If you're looking for the profits of a gas car but the quietness of an electric, our QuietTech EFI fits the bill.

If the term "worry-free" is music to your ears, then our PowerTech Li electric car could be your top pick.

Either way, ultimate comfort is always yours.





Shown with optional Yamaha Genuine Accessories.

TWO SUPERIOR GAS CARS: IT'S A WIN-WIN

With two superior gas car options, you simply can't go wrong. Choose the Drive² EFI golf car and take advantage of the ROI of gas. Or select the Drive² Quietech EFI golf car to enjoy the lowest decibel output. Either way, you are making a sound business decision for your golf course.

FEATURES	DRIVE² QUIETECH EFI	DRIVE² EFI
Rear Suspension	✓ IRS	✓ Cradle-Smooth Suspension
Yamaha-Built Engine	✓ Standard	✓ Standard
Miles Per Gallon	✓ 45 mpg	✓ 45 mpg
Easy Access Engine Compartment	✓ Standard	✓ Standard
Removable Body Panel	✓ Standard	✓ Standard
Reduced Engine Noise	✓ 60.5 dB	✓ 64.7 dB


QUIETECH EFI: EVERYTHING ELSE IS JUST NOISE

Drive² QuietTech EFI boasts the lowest decibel output of any gas car and features the industry's first-ever Independent Rear Suspension on a golf car. This unprecedented combination ensures your players experience a luxuriously quiet ride. At 45 MPG, we think you'll agree that choosing QuietTech EFI is the clear way to go.



QuietTech is the
quietest gas car
on the course.

61 dB





THE BEST OF RELIABILITY, DURABILITY AND COMFORT

If you love the ROI of gas, but don't need the quiet ride of QuieTech, then our Drive² EFI car will fit the bill. Our Yamaha-built engine brings you over 60 years of proven performance. With cradle-smooth suspension, the Drive² EFI car gives you both the luxury and the value you need, along with all the innovative features of the Drive² lineup.

LOWER YOUR MAINTENANCE COSTS AND DAMAGE REPAIRS WITH
YAMAHA'S INDUSTRY-EXCLUSIVE REMOVABLE MODULAR BODY PANELS.



*Body panels are available for all Drive² models for easy repairs.

GET MORE ROUNDS IN WITH
INDUSTRY-LEADING FUEL ECONOMY
AND LESS HYDROCARBON EMISSIONS.

See how much you could save using
the Fuel Calculator at [YamahaGolfCar.com](https://www.yamahagolfcar.com)

45 MPG



Shown with optional Yamaha Genuine Accessories.

13

SCALE COURSE TERRAIN WITH TWO PREMIUM OPTIONS

With the Drive² AC and Drive² PowerTech Li, you get energy-efficient, electric solutions with the best in leading-edge upgrades. Your players will navigate terrain with complete comfort and ease. Plus, with valuable features like standard USB ports and a padded steering wheel, you and your players will wonder how you ever drove any other car.



FEATURES	DRIVE ² POWERTECH Li	DRIVE ² AC
Battery	✔ Lithium-ion	✔ T-875 FLA
Removable Body Panel	✔ Standard	✔ Standard
Rear Suspension	✔ IRS	✔ Cradle-Smooth Suspension
Toyota MCU	✔ Standard	✔ Standard
Delta-Q Charger	✔ Standard	✔ Standard

THE ONLY LITHIUM-ION-POWERED GOLF CAR WITH IRS

We engineered and optimized every last detail while creating an ideal balance between efficiency and driving comfort. For the first time ever, Independent Rear Suspension (IRS) now comes standard on all Drive² PowerTech Li models. With added comfort and premium shock absorption, players can now enjoy the smoothest ride yet.

DRIVE FARTHER
AND SMOOTHER WITH
INDEPENDENT REAR
SUSPENSION.



38 MILES
DRIVING RANGE

When driven on a flat track.

8 YEAR
BATTERY LIFE

Estimated based on 17Ah/day.

ZERO
MAINTENANCE

No watering, no tightening.



Optimized by
Yamaha, the
LiFePO₄ batteries
are safer than other
lithium battery
chemistry options.





AN ALL-IN-ONE ELECTRIC SOLUTION

Prepare yourself for an energy-efficient, electric solution that features smooth acceleration and unrivaled hill-climbing ability like you've never experienced before. Our electric cars make battery power synonymous with horsepower, while giving your players a silky smooth ride.



*Yamaha has really been a home run here for Hidden Hills, and I would **recommend them wholeheartedly** to anyone that's considering them.*

Russ Libby // Owner & Manager
HIDDEN HILLS GOLF CLUB



EXPERTLY BUILT, CRADLE-SMOOTH SUSPENSION



#1

IN CUSTOMER
SATISFACTION

FOR SUPPORT AND RELIABILITY.*



Shown with optional Yamaha Genuine Accessories.

*Golf Car Fleet Study conducted by Golf Datatech, L.L.C., 2015.
YGC funded the research study conducted by Golf Datatech, L.L.C.



PEARL
Metallic



EVERGREEN
Metallic



BLUESTONE
Metallic



SUNSTONE
In-Mold



MOONSTONE
Metallic



GLACIER
In-Mold



CARBON
Metallic

CUSTOMIZE YOUR FLEET WITH BOLD COLOR OPTIONS

COMMAND YOUR RIDE WITH UNRELENTING POWER

Choose one of our two trusted battery options. No matter your choice, you are sure to have efficient, reliable power in all of your cars.




Trojan T-875 FLA

PROVEN PERFORMANCE TIME AFTER TIME

This rock-solid power source is undeniably strong, dependable, and the perfect complement to our Yamaha golf car. It will always get you where you need to go.

Vehicles compatible with this battery option: Drive² AC, Adventure Sport 2+2, UMAX Rally, UMAX Rally 2+2 and UMAX Two.



* Based on the averaging of two completed separate tests on two batteries for each brand.



LiFePO4


WE MADE A GREAT BATTERY BETTER

Our lithium-ion battery was manufactured by RoyPow® and optimized by Yamaha to ensure integrity and unmatched power. We've taken the time to engineer better overall performance for your long-term peace of mind.

- | | |
|---|---|
| Safer than other lithium battery chemistry options for long-term peace of mind. | Designed to charge at a speed that yields optimal output performance. |
| Even after the 5-year warranty, the battery could still have 80% amp-hour life remaining! | No water filling, no terminal tightening or cleaning. |

Data is based on Yamaha's hilly course simulation (Competitors may show different data based on a different testing environment). Based on the averaging of two completed separate tests on two batteries for each brand.

Vehicles compatible with this battery option: Drive² PowerTech Li



DRIVE² POWERTECH LI

DIMENSIONS	
OVERALL LENGTH	93.6 in (238cm)
OVERALL WIDTH	47.3 in (120cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178cm)
WHEELBASE	64.4 in (164cm)
FRONT WHEEL TREAD	34.8 in (89cm)
REAR WHEEL TREAD	38.1 in (97cm)
MINIMUM GROUND CLEARANCE	4.2 in (107mm)
CURB WEIGHT (WITH SUN TOP, WINDSHIELD AND BATTERY)	344 kg (758 lb)

GENERAL	
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Sunstone, Evergreen, Bluestone, Carbon, Moonstone, Pearl, Glacier
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-volt AC Motor
OUTPUT RATING	4.4 hp (3.3kW)
MOTOR CONTROL UNIT	Toyota Industries-built motor controller unit
BATTERIES	Lithium Iron Phosphate
CHARGER	Delta-Q Charger

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier and Sunstone colors. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)

DRIVE² AC

DIMENSIONS	
OVERALL LENGTH	93.6 in (238cm)
OVERALL WIDTH	47.3 in (120cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178cm)
WHEELBASE	64.4 in (164cm)
FRONT WHEEL TREAD	34.8 in (89cm)
REAR WHEEL TREAD	38.6 in (98cm)
MINIMUM GROUND CLEARANCE	4.2 in (107mm)
CURB WEIGHT (WITH SUN TOP AND BATTERY)	443 kg (977 lb)

GENERAL	
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Sunstone, Evergreen, Bluestone, Carbon, Moonstone, Pearl, Glacier
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-volt AC Motor
OUTPUT RATING	4.4 hp (3.3 kW)
MOTOR CONTROL UNIT	Toyota Industries-built motor controller unit
BATTERIES	Standard: Six 8-volt Motive T875
CHARGER	Delta-Q Charger

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier and Sunstone colors. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Swing arm with coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)



DRIVE² QUIETECH EFI

DIMENSIONS	
OVERALL LENGTH	93.6 in (238cm)
OVERALL WIDTH	47.3 in (120cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178cm)
WHEELBASE	64.4 in (164cm)
FRONT WHEEL TREAD	34.8 in (88 cm)
REAR WHEEL TREAD	38.3 in (97cm)
MINIMUM GROUND CLEARANCE	4.3 in (110mm)
CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	344 kg (758 lb)

GENERAL	
FUEL TANK CAPACITY	5.8 U.S. gal (22 liters)
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Sunstone, Evergreen, Bluestone, Carbon, Moonstone, Pearl, Glacier
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
ENGINE TYPE	Yamaha-built, 357 cc, low-emission single cylinder 60° incline OHV
OIL CAPACITY	1 liter, 1000 cc (1 U.S. quart)
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
STARTING SYSTEM	Starter generator with pedal start system
FUEL SYSTEM	EFI - Electronic Fuel Injection

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier and Sunstone colors. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)

DRIVE² EFI

DIMENSIONS	
OVERALL LENGTH	93.6 in (238cm)
OVERALL WIDTH	47.3 in (120cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178cm)
WHEELBASE	64.4 in (164cm)
FRONT WHEEL TREAD	34.8 in (88 cm)
REAR WHEEL TREAD	38.3 in (97cm)
MINIMUM GROUND CLEARANCE	4.3 in (110mm)
CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	324 kg (714 lb)

GENERAL	
FUEL TANK CAPACITY	5.8 U.S. gal (22 liters)
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Sunstone, Evergreen, Bluestone, Carbon, Moonstone, Pearl, Glacier
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
ENGINE TYPE	Yamaha-built, 357 cc, low-emission single cylinder 60° incline OHV
OIL CAPACITY	1 liter, 1000 cc (1 U.S. quart)
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
STARTING SYSTEM	Starter generator with pedal start system
FUEL SYSTEM	EFI - Electronic Fuel Injection

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier and Sunstone colors. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Swing arm with coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)

UMAX RANGE PICKER

DIMENSIONS	
OVERALL LENGTH	111.45 in (283.1 cm)
OVERALL HEIGHT (NO SUN TOP)	48.54 in (123.3 cm)
OVERALL HEIGHT (WITH SUN TOP)	71.81 in (182.4 cm)
OVERALL WIDTH	49.5 in (125.7 cm)
WHEELBASE	66.18 in (168.1 cm)
FRONT WHEEL TREAD	39.96 in (101.5 cm)
REAR WHEEL TREAD	40.19 in (102.1 cm)
MINIMUM GROUND CLEARANCE	4.56 in (11.6 cm)
CURB WEIGHT (WITH SUN TOP AND RANGE CAGE COMPLETE ENCLOSURE)	498 kg (1097 lb)

GENERAL	
TIRE SIZE	20x10-10 4-ply Monitor K389 (front) K500 (rear)
SEATING CAPACITY	Two persons
AVAILABLE MODEL COLORS	Coral Red, Bluestone, Evergreen, Carbon, Glacier
AVAILABLE SEAT & SUN TOP COLOR	Black
WARRANTY	Standard 2-year limited vehicle warranty

ENGINE / DRIVE TRAIN	
ENGINE TYPE	Yamaha-built 402 cc, Low Emission Single Cylinder 60deg Incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1.16 U.S. quart (1.1 liter, 1100 cc), Yamalube 10W-30
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
FUEL SYSTEM	Electronic fuel injection
STARTING SYSTEM	Starter generator with pedal start system
HORSEPOWER	3600 rpm (14.25 hp)

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Unit swing arm with DUAL RATE coil springs over hydraulic shock absorbers
BRAKES	Self-adjusting mechanical, front and rear wheel drum brakes
CARGO BED CAPACITY	300 lb
TOWING CAPACITY	800 lb
CARGO BED DIMENSIONS	33.2" L x 45.9" W x 11.9" H



PERSONAL TRANSPORTATION VEHICLES



Shown with optional Yamaha Genuine Accessories.



THE EASY CHOICE™ WHEN LUXURY, PERFORMANCE AND VALUE MATTER



60
+ YEARS

YAMAHA MOTOR CORPORATION

With Yamaha, every challenge is an opportunity for adventure with our rich pedigree of motor vehicles, including snowmobiles, scooters, ATVs, personal watercraft vehicles and so much more.

BOATS



MARINE ENGINES



GENERATORS



RECREATIONAL
VEHICLES




MOTORCYCLES



WAVERUNNERS®



ALL-TERRAIN
VEHICLES



SNOWMOBILES



INTELLIGENT
MACHINERY



POWER ASSIST
BICYCLES



REMOTELY PILOTED
HELICOPTERS



DRIVE² CARS	4-17	ADVENTURER SPORT 2+2	14-15	BATTERY OPTIONS	26-27
REFUEL OR RECHARGE	6-7	UMAX® CARS	18-25	PARTS AND ACCESSORIES	28-51

SPECIFICATIONS	52-59
----------------------	-------

Shown with optional Yamaha Genuine Accessories.

INNOVATIVE FEATURES AT EVERY TURN

With bold colors and modern body styling, our Drive² line-up looks better than ever, but the biggest change is the one you don't see—a smoother ride.



SEE MORE ONLINE!
Scan now to watch all the
Drive² features in action.



INDEPENDENT REAR SUSPENSION

This comes standard on all Drive² PowerTech Li, Drive² PowerTech AC, and Drive² QuietTech EFI models. Experience stability and comfort.



STORAGE BIN WITH NO-SLIP MAT

34% larger to keep more valuables in place.



REAR FOLD-DOWN SEAT

Create a 200lb capacity storage space with the flip down seats — available in tan or black. (Optional)



LED HEADLIGHTS AND TAILLIGHTS

Automotive-inspired LED lights shine brighter and use only a fraction of the energy. (Optional)



FRONT SUSPENSION

Fully independent front suspension for maximum performance and comfort.



TWO USB CONNECTIONS

Easily maintain power and stay charged.



CLIMAGUARD™ SUN TOP

Protect occupants from the elements with a dual gutter system. 33% larger size than the nearest competitor.



AUTOMOTIVE-STYLE DASH

Fully equipped with larger cup holders, a place for two range finders and mobile devices, plus USB connections.

Matte	Atomic Flame
Matte	Mica
Matte	Graphite
Metallic	Bluestone
Metallic	Moonstone
Metallic	Aqua Blue
Metallic	Jasper
Metallic	Onyx
In-Mold	Glacier

AVAILABLE COLORS



WITH YAMAHA, THE ONLY QUESTION IS

REFUEL OR RECHARGE?

EVERYTHING ELSE IS THE EASY CHOICE™

If you're looking for a gas personal transportation vehicle (PTV) but the quietness of an electric, our QuieTech EFI fits the bill.

If the term "worry-free" is music to your ears, then our industry-leading electric PTV could be your top pick.

**Either way, ultimate comfort is
always yours.**

THE ONLY LITHIUM-ION-POWERED PTV WITH IRS

We engineered and optimized every last detail while creating an ideal balance between efficiency and driving comfort. For the first time ever, Independent Rear Suspension (IRS) now comes standard on the Drive² PowerTech Li models. With added comfort and premium shock absorption, now you can enjoy the smoothest ride yet.


**DRIVE FARTHER
AND SMOOTHER WITH
INDEPENDENT REAR
SUSPENSION.**



**ZERO
MAINTENANCE**
No watering, no tightening.

**8 YEAR
BATTERY LIFE**
Estimated based 6 miles/day.

**38 MILES
DRIVING RANGE**
When driven on a flat track.



LONGER LIFE SPAN



RATED HIGHER IN SAFETY



BEST THERMAL STABILITY

Optimized by
Yamaha, the
LiFePO₄ batteries
are safer than
other lithium
battery options.



IT'S ALL ABOUT THE JOURNEY

The Drive² PowerTech AC car just keeps getting better. We have paired the same energy-efficient, electric solution you can rely on with the best in leading-edge upgrades. You can navigate terrain with complete comfort and ease with our Drive² PowerTech AC's Independent Rear Suspension (IRS). With other valuable features like standard USB ports and a padded steering wheel, you will wonder how you ever drove any other car.

TROJAN T-875 FLA
WORRY-FREE
BATTERY COMES STANDARD



REAR FACING
FOLD-DOWN SEAT
KIT WITH
200LBS
OF STORAGE
CAPACITY






QUIETECH EFI: THE ULTIMATE LUXURY GAS CAR


Our Personal Transportation Vehicles take the effort out of errands. The Drive² car handles like a dream and makes even short trips fun! We developed our QuieTech EFI technology to create a quieter, more fuel-efficient ride, so you can spend less money on fuel and more on doing the things you love.

261 MILES
AVERAGE RANGE
Between fill-ups.

45 MPG
FUEL ECONOMY



INDUSTRY-FIRST FULLY INDEPENDENT REAR SUSPENSION (IRS)



A gas car
that is almost
as quiet as
an electric.



THE BEST OF VALUE AND VERSATILITY

Don't let that comfortable seating and sporty design fool you. The Adventurer Sport 2+2 may play nice, but when it's time to take on a tough job, it's ready to work hard. Easily go from cruising around the block with friends to maintaining the community garden or hauling gear for a family camping trip with 250 lbs. of payload capacity, large 20" tires and a lifted suspension.

POWDER-COATED FRONT BRUSH GUARD COMES STANDARD



**FOLD-DOWN
SEAT KIT** / **20 INCH
TIRES** / **3 INCH
LIFT KIT**



**GAS &
ELECTRIC**
OPTIONS AVAILABLE

(Not available in lithium.)





ATOMIC FLAME
Matte



GRAPHITE
Matte



MICA
Matte



MOONSTONE
Metallic



ONYX
Metallic



AQUA BLUE
Metallic



JASPER
Metallic



BLUESTONE
Metallic



GLACIER
In-Mold

REFRESH
YOUR PTV
WITH BOLD
COLOR
OPTIONS



COMMAND YOUR RIDE WITH UNRELENTING POWER

Choose one of our two trusted battery options. No matter your choice, you are sure to have efficient, reliable power in all of your cars.



LiFePO4 WE MADE A GREAT BATTERY BETTER

Our lithium-ion battery was manufactured by RoyPow® and optimized by Yamaha to ensure integrity and unmatched power. We've taken the time to engineer better overall performance for your long-term peace of mind.


- Safer than other lithium battery chemistry options for long-term peace of mind.

Even after the 5-year warranty, the battery could still have 80% amp-hour life remaining!
- Designed to charge at a speed that yields optimal output performance.

No water filling, no terminal tightening or cleaning.

Data is based on Yamaha's flat track simulation (Competitors may show different data based on a different testing environment). Based on the averaging of two completed separate tests on two batteries.

Vehicles compatible with this battery option:
Drive² PowerTech Li




● Amp Hours ● Charging time ● Miles per charge



T-875 FLA PROVEN PERFORMANCE TIME AFTER TIME

This rock-solid power source is undeniably strong, dependable, and the perfect complement to our Yamaha PTV. It will always get you where you need to go.

Vehicles compatible with this battery option:
Drive² PowerTech AC, Adventure Sport 2+2, UMAX Rally, UMAX Rally²+² and UMAX Two.



* Based on the averaging of two completed separate tests on two batteries for each brand.



DRIVE² POWERTECH LI

DIMENSIONS	
OVERALL LENGTH	93.6 in (238 cm)
OVERALL WIDTH	47.3 in (120 cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178 cm)
WHEELBASE	64.4 in (164 cm)
FRONT WHEEL TREAD	34.8 in (89 cm)
REAR WHEEL TREAD	38.1 in (97 cm)
MINIMUM GROUND CLEARANCE	4.2 in (107 cm)
CURB WEIGHT (WITH SUN TOP, WINDSHIELD AND BATTERY)	368 kg (811 lb)

GENERAL	
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons / 4 persons with optional rear seat.
AVAILABLE MODEL COLORS	In-Mold Glacier, Matte: Atomic Flame, Graphite Metallic: Moonstone, Bluestone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-volt AC Motor
OUTPUT RATING	6.7 hp (5.0 kW)
MOTOR CONTROL UNIT	Toyota Industries-built motor controller unit
BATTERIES	Lithium Iron Phosphate
CHARGER	Delta-Q Charger

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)

DRIVE² POWERTECH AC

DIMENSIONS	
OVERALL LENGTH	93.6 in (238 cm)
OVERALL WIDTH	47.3 in (120 cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178 cm)
WHEELBASE	64.4 in (164 cm)
FRONT WHEEL TREAD	34.8 in (88 cm)
REAR WHEEL TREAD	38.3 in (97 cm)
MINIMUM GROUND CLEARANCE	5.5 in (14 cm)
CURB WEIGHT (WITH SUN TOP AND BATTERY)	482 kg (1063 lb)

GENERAL	
TIRE SIZE	18 x 8.5 - 8 (4-ply rating)
SEATING CAPACITY	Two persons / 4 persons with optional rear seat.
AVAILABLE MODEL COLORS	In-Mold Glacier, Matte: Atomic Flame, Graphite Metallic: Moonstone, Bluestone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

MOTOR / DRIVE TRAIN / POWER SUPPLY

MOTOR	48-volt AC Motor
OUTPUT RATING	6.7 hp (5.0 kW)
MOTOR CONTROL UNIT	Toyota Industries-built motor controller unit
BATTERIES	Standard: Six 8-volt Motive T875 Optional: Eight 6-volt Trojan T105
CHARGER	Delta-Q Charger

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	15.0 mph (24 km/h)
MINIMUM TURNING RADIUS	9.2 ft (2.8 m)

DRIVE² QUIETECH EFI

DIMENSIONS	
OVERALL LENGTH	93.6 in (238 cm)
OVERALL WIDTH	47.3 in (120 cm)
OVERALL HEIGHT (WITH SUN TOP)	70.2 in (178 cm)
WHEELBASE	64.4 in (164 cm)
FRONT WHEEL TREAD	34.8 in (88 cm)
REAR WHEEL TREAD	38.3 in (97 cm)
MINIMUM GROUND CLEARANCE	4.3 in (11 cm)
CURB WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	356 kg (785 lb)

GENERAL	
FUEL TANK CAPACITY	5.8 U.S. gal (22 liters)
TIRE SIZE	205/65 - 10 DOT (4-ply rating)
SEATING CAPACITY	Two persons / 4 persons with optional rear seat.
AVAILABLE MODEL COLORS	In-Mold Glacier, Matte: Atomic Flame, Graphite Metallic: Moonstone, Bluestone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 4-year limited vehicle warranty

ENGINE / DRIVE TRAIN

ENGINE TYPE	Yamaha-built, 357 cc, low-emission single cylinder 60° incline OHV
OIL CAPACITY	1 U.S. quart (1 liter, 1000 cc)
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
STARTING SYSTEM	Starter generator with pedal start system
FUEL SYSTEM	EFI - Electronic Fuel Injection

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	19.0 mph (31 km/h)
MINIMUM TURNING RADIUS	9.5 ft (2.9 m)

ADVENTURER SPORT 2+2 EFI

DIMENSIONS	
OVERALL LENGTH	108.3 in (275 cm)
OVERALL WIDTH	50.8 in (129 cm)
OVERALL HEIGHT (NO SUN TOP)	50 in (127 cm)
WHEELBASE	64.4 in (164 cm)
FRONT WHEEL TREAD	37.8 in (96 cm)
REAR WHEEL TREAD	39.8 in (101 cm)
MINIMUM GROUND CLEARANCE	6.3 in (16 cm)
DRY WEIGHT (WITH SUN TOP, BATTERY, OIL AND GASOLINE)	441 kg (972 lb)

GENERAL	
FUEL TANK CAPACITY	5.8 U.S. gal (22 liters)
TIRE SIZE	20x10-8 (4-ply rating)
SEATING CAPACITY	Four persons
AVAILABLE MODEL COLORS	Mold Glacier, Matte: Atomic Flame, Graphite Metallic: Moonstone, Bluestone, Onyx, Aqua Blue, Jasper
AVAILABLE SEAT & SUN TOP COLOR	Standard: Stone Optional: Black
WARRANTY	Standard 2-year limited vehicle warranty

ENGINE / DRIVE TRAIN / POWER SUPPLY

ENGINE TYPE	Yamaha-built, 357 cc, low-emission single cylinder 60° incline OHV
LUBRICATION SYSTEM	Splash-style positive oil lubrication
OIL CAPACITY	1 U.S. quart (1 liter, 1000 cc)
AIR CLEANER	Two-stage, urethane-foam pre-cleaner, and high-capacity pleated paper cartridge
COOLING SYSTEM	Forced air
STARTING SYSTEM	Starter generator with pedal start system
FUEL SYSTEM	EFI - Electronic Fuel Injection

CHASSIS	
FRAME	HybriCore™ Chassis features a robotic welded automotive ladder-style steel frame protected with a multi-step full-immersion phosphate treatment, electro-deposition epoxy-based coating, and an electrostatic applied polyester/urethane powder topcoat
BODY	Mold-in Polypropylene for Glacier color. Custom-formulated thermoplastic olefin painted with a two-part top coat of high-luster automotive-grade polyurethane
STEERING	Self-compensating double reduction helical rack-and-pinion
FRONT SUSPENSION	Tru-Trak II™ fully independent automotive-style strut suspension
REAR SUSPENSION	Fully independent automotive-style strut suspension
BRAKES	Self-adjusting mechanical, rear wheel drum brakes
BUMPERS	Front and rear 5 mph energy-absorbing bumpers

PERFORMANCE	
MAX SPEED ADJUSTABLE	14.9 mph (24 km/h)
MINIMUM TURNING RADIUS	9 ft (3 m)



1270 Chastain Road NW,
Kennesaw, Georgia 30144
1.866.747.4027 | YamahaGolfCar.com



This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. Unless noted otherwise, these company, brand, and product names are used herein for identification purposes only, and reference to any names, marks, products, or services of third parties do not constitute or imply endorsement, sponsorship, or recommendation of the third party or the product or services. Products and specifications are subject to change without notice.